AUTHOR CITATION INDEX

Adaros, G. 462, 468
Allen, S. G. 346, 451
Aloni, B. 280
Armstrong, R. A. 39, 40, 246
Arnon, D. I. 3
Azon-Bieto, J. 30

Barko, J. W. 346, 351
Barnes, P. W. 438
Bassioni, N. H. 210
Basu, P. S. 276, 280
Baszynski, T. 166
Bates, L.S. 49, 277, 420
Bennett, J. H. 383
Bennett, J. P. 462
Berger, R. D. 365
Biswal, B. 7
Björn, L. O. 434
Bloom, P. R. 445
Blum, A. 276
Boersma, L. 125
Böger, P. 170
Boucher, C. 220
Boukerrou, L. 254
Bradford, M. M. 64, 237
Brown, A. H. 303
Brown, N. A. C. 218, 221
Budd, K. 231
Buisson, J.-P. 451
Butler, J. N. 347
Burke, J. J. 205
Burn, J. E. 195, 197, 199
Butler, D. R. 25

Caldwell, M. M. 434
Chamel, A. 215
Chatterton, N. J. 294
Chen, H.-H. 51
Childers, N. F. 390
Choudbury, N. K. 7
Christodoulakis, N. K. 138
Clarke, G. M. 304
Clarke, J. M. 300
Clowes, F. A. L. 184
Cochran, W. G. 277
Cooke, B. C. 40
Cooke, D. 304
Couture, P. 230
Cowles, J. R. 303
Crosbie, T. M. 254
Cuello, J. 1
Cure, J. D. 346

Dai, Q. 434
Dainello, F. J. 365
Deademan, M. L. 40
Dedolph, R. R. 303
DeLange, J. H. 220
DeMots, A. 381
DeVos, C. H. R. 170
Diamantoglou, S. 131
Dubois, M. 49, 130
Duke, S. H. 118, 125
Dutcher, F. R. 303

Ebercon, A. 276, 295
El-Sharkawy, M. 254
Erickson, R. O. 254
Evans, L. S. 311

Fibras, H. 53
Foster, P. 225

Geller, G. N. 291
Gibson, A. C. 291
Grant, W. F. 177

Halstead, T. W. 303
Hamilton, J. L. 64
Hamilton, P. B. 277
Harding, S. C. 125
Harrison, S. A. 254
Hastings, R. J. 9

Havaux, M. 170
Hayes, P. 118, 124, 125
He, J. 438
Heggestad, H. E. 462
Heinicke, A. J.. 390
Henriques, F. S. 170
Hoffman, G. J. 275
Hogland, J. H. 125
Hole, D. J. 207
Horn, N. M. 312
Horst, W. J. 178

Idso, S. B. 346, 351
Ievinsh, G. 59
Ingestad, T. 70
Inskeep, W. P. 445
Imsande, J. 126
Irving, P. M. 311

Jacobson, J. W. 316
Jworski, E. G. 208
Jenks, M. A. 294, 299
Jordan, W. R. 298, 300
Joshi, N. P. 1, 7

Kandler, O. 153
Keever, G. J. 316
Kerr, P. S. 124
Kerson, G. W. 231
Kimball, B. A. 345, 346
Kreicbergs, O. 59
Kuo, T. 125

Landsberg, J. J. 25
Langcake, P. 331
Lankes, C. 30
Lannoye, R. 170
Layzell, D. B. 118, 124, 125
Leach, J. E. 444
Lee, E. H. 383
Lehnherr, B. 447
Leopold, A. C. 93
Les, A. 229
Levine, H. G. 303, 309
Li, P. H. 51
Lichtenthaler, H. K. 134, 154
Lidon, F. C. 170
Lowe, C. H. 9
Lowe, R. H. 64
Lowry, O. H. 3, 277
Lucas, P. W. 444, 446

Mäck, G. 210
Malik, C. P. 277
Marfey, P. 458
Martineau, J. R. 73, 279
Matthews, D. J. 118, 124, 125
Mayer, R. R. 276, 280
Menser, H. A. 462
Michelini, F. J. 254
Miller, J. E. 311
Minhas, J. S. 276, 280
Mohanty, N. 170
Morel, F. M. M. 225
Murphy, T. M. 434

McDowall, F. D. H. 447
McMichael, B. L. 410, 413

Nason, A. 208
Nasyrov, Y. S. 254
Naylor, D. G. 255
Nicholas, D. J. D. 208
Nissen, P. 3
Nitschmann, W. H. 31
Nobel, P. S. 291
Nubel, D. S. 254

Ogata, S. 299
Oliver, M. J. 205
Olszyk, D. 466
Ouzounidou, G. 166, 170
Owensby, C. E. 351

Pair, J. C. 280
Peñuelas, J. 446
Peschek, G. A. 231
Porter, P. M. 312

Radin, N. S. 49
Rains, D. W. 208
Rao, K. P. 208
Raper, C. D. 118
Rasmusson, D. C. 254
Rawlins, S. I. 275
Reboredo, F. 170
Reed, R. H. 231
Richards, R. A. 300
Robinson, A. 458
Ross, M. 53
Ross, W. M. 279
Royer, R. 451
Rozema, J. 351
Rufty, T. W. 124
Ryle, G. J. A. 124

Saadalla, M. M. 279
Sakai, A. 51
Salisbury, F. B. 304
Sandmann, G. 170

Saneoka, H. 299
Shistad, I. J. 3
Schneiter, A. A. 413
Senser, M. 49
Shanahan, J. F. 276, 279
Sheehy, J. E. 125
Shibata, H. 7
Shioi, Y. 166
Siddiqi, M. Y. 207
Silva, Fernandez, A. M. 277
Sionit, N. 351
Sirornal, C. 153
Smillie, R. M. 53
Snedecor, G. W. 11, 277
Somogyi, M. 130
Srivastava, A. K. 277
Stafford, R. E. 413
Steenberg, W. F. 9
Steenken, F. 173
Stočkus, A. 93
Sukumaran, N. 48
Sullivan, C. Y. 276, 279

Tachibana, S. 202
Tahir, I. 210
Tapper, R. 44
Teare, I. D. 255
Teramura, A. H. 434, 437, 438
Thompson, J. 184
Tibbits, T. W. 466
Tischner, R. 210
Traore, M. 300
Tromballa, H. W. 230, 231
Turner, R. M. 9

Van, T. K. 437
Van Slyke, D. D. 277

Walker, R. W. 229
Wallner, S. J. 279
Walsh, K. B. 118, 124, 125
Wanjura, D. F. 201
Weiser, C. 48
Wellburn, A. R. 154
Wettlaufer, S. H. 93
Wheeler, R. M. 304
Wicklow, D. T. 221
Wierzbicka, M. 174
Wilcox, H. 191
Wilkins, D. A. 64
Williams, J. D. 201
Wintermans, J. F. G. M. 381

Yoshida, S. 51
Young, J. C. 7

Zdrou, I. 230, 231,
Ziska, L. H. 351

SUBJECT INDEX

abscisic acid
and polyamine levels; Methyl jasmonate reduces chilling injury in*Cucurbita pepo* through its regulation of 427

accumulation, increased
of the 16 x 10^3 M_r polypeptide in lupin roots exposed to lead, copper and nitrite ions 63

acidic irrigations
Effecs of intermittent, on soybean and frogeye leaf spot 311

Actinidia deliciosa (kiwifruit)
The impact of canopy growth and temporal changes in radiation on the dynamics of canopy carbon assimilation for, vines during spring 141

activity, Metabolic
of cotton roots in response to temperature 201

activity, mitotic
Resumption of, in *Allium cepa* L. root tips during treatment with lead salts 173

Allium cepa L. root tips
Resumption of mitotic activity in, during treatment with lead salts 173

Allium porrum L.
Root apical meristems and arbuscular mycorrhizae of 181

Aluminum-mediated
fosetyl-Al effects on peroxidase secreted from grapevine cells 329

Alyssum montanum L. plants
Copper-induced changes on growth, metal content and photosynthetic function of 165

Ammonium and nitrate
Importance of, to the performance of herb layer species from deciduous forests in southern Sweden 31

antiozonant
, ethylenediurea; Response of beans and hairy fleabane leaves to

ozone and paraquat with and without the 379

apical meristems, Root
of arbuscular mycorrhizae of *Allium porrum* L. 181

apple orchard
Diurnal CO_2 fluctuations in an 385

apple trees
Respiration of, between leaf fall and leaf emergence 25

arabitol
, and mannitol in individual lobes of the lichen *Parmelia conspersa* (EHRH. EX ACH.) ACH.; The levels of ribitol, 245

arbuscular mycorrhizae
of *Allium porrum* L.; Root apical meristems of 181

assimilation, carbon
for kiwifruit (*Actinidia deliciosa*) vines during spring. The impact of canopy growth and temporal changes in radiation on the dynamics of canopy 141

Atmospheric CO_2 enrichment
: kinetics of chlorophyll a fluorescence and photosynthetic CO_2 uptake in individual, attached cotton leaves 75

5-Azacytidine
and gamme rays partially substitute for cold treatment in vernalizing winter wheat 195

barley (*Hordeum vulgare* L.) leaf segments
Retardation of senescence by UV-A light in 1

barrel medic
Effects of SO_2 and NO_2 on growth and nitrogen concentrations in lucerne and 319

beans
and hairy fleabane leaves, Response of, to ozone and paraquat with and without the antiozonant, ethylenediurea 379

bean seedlings, etiolated
The effect of oxygen concentration on chloroplast development, chlorophyll synthesis and starch accumulation in, upon illumination 153

black cherry
and red maple seedlings; Ozone-exposure responses of 355

browning, Epidermal
of saguaro cacti (*Carnegia gigantea*): physiological effects, rates of browning and relation to sun/shade conditions 107

browning, epidermal
of saguaro cacti (*Carnegia gigantea*): surface and internal characteristics associated with browning 9

buckwheat, common
(*Fagopyrum esculentum* Moench): kinetics; Nitrate uptake in 207

cacti
of South America; Surficial injuries of several 285

cacti, columnar
Surficial injuries of several long-lived, of the Sonoran Desert, Mexico 19

cacti, saguaro (*Carnegia gigantea*)
Epidermal browning of,: physiological effects, rates of browning and relation to sun/shade conditions 107

Epidermal browning,: surface and internal characteristics associated with browning 9

cadmium
Transport and toxicity of,: its regulation in the cyanobacterium *Synechocystis aquatilis* 225

canopy growth
and temporal changes in radiation on the dynamics of canopy carbon assimilation for kiwifruit (*Actinidia deliciosa*) vines during spring; The impact of 141

carbohydrates
, lipids and nitrogen content in sun and shade leaves from four Mediterranean evergreen sclerophylls: Seasonal changes of 129

carbon assimilation, canopy
for kiwifruit (*Actinidia deliciosa*) vines during spring. The impact of canopy growth and temporal changes in radiation on the dynamics of 141

carbon dioxide concentration
Net photosynthesis as a function of, in pine trees grown at ambient and elevated CO_2 337

Carnegia gigantea
Epidermal browning of saguaro cacti ( ): surface and internal characteristics associated with browning 9

Cd^{2+} resistance
in b wild-type and mutant strains of *Chlamydomonas reinhardtii* 235

cells, grapevine
Aluminum-mediated fosetyl-Al effects on peroxidase secreted from 329

C_2H_4 production, Patterns of
during germination and seedling growth of pea and wheat as indicated by a laser-driven photoacoustic system 55

cherry, black
and red maple seedlings; Ozone-exposure responses of 355

Chilean wild *Solanum* species
Responses to cold of 47

chilling injury
in *Cucurbita pepo*; Methyl jasmonate reduces, through its regulation of abscisic acid and ppolyamine levels 427

Chlamydomonas reinhardtii
Cd^{2+} resistance in wild-type and mutant strains of 235

chlorophyll a fluorescence
and photosynthetic CO_2 uptake in individual, attached cotton leaves; Atmospheric CO_2 enrichment: kinetics of 75

chlorophyll synthesis
The effect of oxygen concentration on chloroplast development, starch accumulation and, in etiolated bean seedlings upon illumination 153

chloroplast development
, chlorophyll synthesis and starch accumulation in etiolated bean seedlings upon illumination; The effect of oxygen concentration upon 153

chlorosis, leaf
White ruse infection and, in relation to crop strategies in spinach 363

clastogenic effects
of methoxy-7-nitro-2-naphtho (2,1-6) furan (R7000) on *Nigella damascena* L. 451

clinostat
Increased mass production of *Veronica arvensis* grown on a slowly rotating 303

C/N ratios
and respiration rates of Sitka spruce seedlings exposed to 70 ppbv ozone for a summer; Water status, photosynthetic pigments 443

CO_2, ambient and elevated
Net photosynthesis as a function of carbon dioxide concentration in pine trees grown at 337

CO_2 enrichment, Atmospheric
: kinetics of chlorophyll a fluorescence and photosynthetic CO_2 uptake in individual, attached cotton leaves 75

CO_2 enrichment
Interactive effects of, and temperature on the growth of dioecious *Hydrilla verticillata* 345

CO_2 fluctuations, Diurnal
in an apple orchard 385

CO_2 uptake, photosynthetic
in individuals, attached cotton leaves; Atmospheric CO_2 enrichment: kinetics of chlorophyll a fluorescence and 75

coastal halophytes
Triglochin bulbosa and *T. striata*; Growth, water and ion relationships in the 419

cold, responses to
of Chilean wild *Solanum* species 47

cold treatment
in vernalizing winter wheat; 5-Azacytidine and gamma rays partially substitute for 195

columnar cacti
Surficial injuries of several long-lived, of the Sonoran Desert, Mexico 19

contamination
and sprinkling; Cs-134 levels in wheat related to time elapsed between 213

Coper-induced changes
on growth, metal content and photosynthetic function of *Alyssum*

montanum L. plants 165

copper, lead and nitrite ions
Increased accumulation of the 16 x 10^3 M_r polypeptide in lupin roots exposed to 63

corn roots, primary
Diagravitropic response in plagiogravitropic 87

cotton (*Gossypium hirsutum* L.)
Tolerance to high temperature of in, at initial growth stages 275

cottong (*Gossypium hirsutum* L), upland
Responses of photosynthetic rates to genotypic differences in sink-to-source ratios in 263

cotton leaves
Atmospheric CO_2 enrichment: kinetics of chlorophyll a fluorescence and photosynthetic CO_2 uptake in individual, attached 75

cotton roots
Metabolic activity of, in response to temperature 201

crop strategies
in spinach; White rust infection and leaf chlorosis in relation to 363

Cs-134 levels
in wheat related to time elapsed between contamination and sprinkling 213

Cucurbita pepo
, chilling injury in; Methyl jasmonate reduces, through its regulation of abscisic acid and polyamine levels 427

cyanobacyerium *Synechocystis aquatilis*
Transport and toxicity of cadmium: its regulation in the 225

Desert, Sonoran
Surficial injuries of several long-lived columnar cacti of the, Mexico 19

development, protophloem
Temporal aspects of, in roots of *Triticum aestivum* L. 95

Diagravitropic response
in plagiogravitropic primary corn roots 87

Dimorphotheca pluvialis
Ultraviolet-B irradiation of seeds affects photochemical and reproductive performance of the arid-environment ephemeral 371

Dispersal of soredia
from individual soralia of the lichen *Hypogymnia physodes* (L.) Nyl in a simple wind tunnel 39

Diurnal CO_2 fluctuations
in an apple orchard 385

effects
of O_3 and SO_2 on tomato; Single and interactive 461

elongation, root
of sunflower seedlings; Primary and lateral 409

Epicuticular wax load
and water-use efficiency in bloomless and sparse-bloom mutants of *Sorghum bicolor* L. 293

Epidermal browning
of saguaro cacti (*Carnegia gigantea*): physiological effects, rates of browning and relation to sun/shade conditions 107

of saguaro cacti (*Carnegia gigantea*): surface and internal characteristics associated with browning 9

ethylenediurea
Reponse of beans and hairy fleabane leaves to ozone and paraquat with and without the antiozonant 379

ethyl methanesulfonate
Synergisms detected among methyl methanesulfonate, and X-rays in inducing somatic mutations in the stamen hairs of *Tradescantia* clone BNL 4430 393

Fagopyrum esculentum Moench
Nitrate uptake in common buckwheat ( ): kinetics 207

fire-climax grass *Themeda triandra*
Plant-derived smoke and smoke extracts stimulate seed germination of the 217

fleabane, hairy
Responses of beans and, leaves to ozone and paraquat with and without the antiozonant, ethylenediurea 379

fluctuations, Diurnal CO_2
in an apple orchard 385

forests, deciduous
in southern Sweden; Importance of ammonium and nitrate to the performance of herb-layer species from 31

fosetyl-Al effects
on peroxidase secreted from grapevine cells; Alluminum-mediated 329

frogeye leaf spot
Effects of intermittent acidic irrigations on soybean and 311

gamma rays
5-Azacytidine and, partially substitute for cold treatment in vernalizing winter wheat 195

germination and seedling growth
of pea and wheat; Patterns of C_2H_4 production during, as indicated by a laser-driven photoacoustic system 55

germination, seed
of the fire-climax grass *Themeda triandra*; Plant-derived smoke and smoke extracts stimulate 217

Glycine max (L.) Merr. cv. Maple Arrow
and lupine [*Lupinus albus* (L.) cv. Ultra] plants; Root zone temperature sensitivity of nitrogen fixing and nitrate-supplied soybean [ ] 117

Gossypium hirsutum L.
Responses of photosynthetic rates to genotypic differences in sink-to-source ratios in upland cotton ( ) 253

Tolerance to high temperatures in cotton ( ) at initial growth stages 275

grapevine cells
Aluminum-mediated fosety-Al effects on peroxidase secreted from 329

grass, fire-climax, *Themeda triandra*
Plant-derived smoke and smoke extracts stimulate seed germination of the 217

growth
and nitrogen concentrations in lucerne and barrel medic; Effects of SO_2 and NO_2 on 319

of dioecious *Hydrilla verticillata*: Interactive effects of CO_2 enrichment and temperature on 345

, metal content and photosynthetic function of *Alyssum montanum* L. plants; Copper-induced changes on 165

, water and ion relationships in the coastal halophytes *Triglochin bulbosa* and *T. striata* 419

growth stages, initial
Tolerance to high temperature in cotton (*Gossypium hirsutum* L.) at 275

hairs, stamen
of *Tradescantia* clone BNL 4430. Synergisms detected among methyl methanesulfonate, ethyl methanesulfonate and X-rays in inducing somatic mutations in the 393

halophytes, coastal
Triglochin bulbosa and *T. striata* ; Growth, water and ion relationships in the 419

herb-layer species
from deciduous forests in southern Sweden; Importance of ammonium and nitrate to the performance of 31

high temperature, Tolerance to
in cotton (*Gossypium hirsutum* L.) at initial growth stages 275

Hordeum vulgare L.
Retardation of senescence by UV-A light in barley ( ) leaf segments 1

Hydrilla verticillata
Interactive effects of CO_2 enrichment and temperature on the growth of dioecious 345

Hypogymnia physodes (L.) Nyl.
Dispersal of soredia from individual soralia of the lichen, in a simple wind tunnel 39

illumination
The effect of oxygen concentration on chloroplast development, chlorophyll synthesis and starch accumulation in etiolated bean seedlings upon 153

infection, white rust
and leaf chlorosis in relation to crop strategies in spinach 363

injuries, Surficial
of several cacti of South America 285

injuries, surficial
of several long-lived columnar cacti of the Sonoran Desert, Mexico 19

injury, chilling
in *Cucurbita pepo*; Methyl jasmonate reduces, through its regulation of abscisic acid and polyamine levels 427

intermittent acidic irrigations
Effects of, on soybean and frogeye leaf spot 311

Intraspecific responses
of 188 rice cultivars to enhanced UV-B radiation 433

ion
relationships in the coastal halophytes *Triglochin bulbosa* and *T. striata* ; Growth, water and 419

irradiation, Ultraviolet-B
of seeds affects photochemical and reproductive performance of the arid-environment ephemeral *Dimorphotheca pluvialis* 371

irrigations, acidic
Effects of intermittent, on soybean and frogeye leaf spot 311

kinetics
Nitrate uptake in common buckwheat (*Fagopyrum esculentum* Moench): 207

of chlorophyll a fluorescence and photosynthetic CO_2 uptake in individual, attached cotton leaves; Atmospheric CO_2 enrichment 75

kiwifruit (*Actinidia deliciosa*)
vines during spring. The impact of canopy growth and temporal changes in radiation on the dynamics of canopy carbon assimilation for 141

laser-driven photoacoustic system
Patterns of C_2H_4 production during germination and seedling growth of pea and wheat as indicated by a 55

lateral root
elongation of sunflower seedlings; Primary and 409

lead, copper and nitrite ions
Increased accumulation of the 16 x 10^3 M_r polypeptide in lupin roots exposed to 63

lead salts
Resumption of mitotic activity in *Allium cepa* L. root tips during treatment with 173

leaf chlorosis
White rust infection and, in relation to crop strategies in spinach 363

leaf emergence
Respiration of apple trees between leaf fall and 25

leaf fall
and leaf emergence; Respiration of apple trees between 25

leaf segments
Retardation of senescence by UV-A light in barley (*Hordeum vulgare* L.) 1

leal spot, frogeye
Effects of intermittent acidic irrigations on soybean and 311

leaves
Response of beans and hairy fleabane, to ozone and paraquat with and without the antiozonant, ethylenediurea 379

leaves, cotton
Atmospheric CO_2 enrichment: kinetics of chlorophyll a fluorescence and photosynthetic CO_2 uptake in individual, attached 75

leaves, sun and shade
from four Mediterranean evergreen sclerophylls; Seasonal changes of carbohydrates, lipids and nitrogen content in 129

lichen [*Hypogymnia physodes* (L.) Nyl.]
Dispersal of soredia from individual soralia of the, in a simple wind tunnel 39

lichen
Parmelia conspersa (EHRH. EX ACH.) ACH.; The levels of ribitol, arabitol and mannitol in individual lobes of the 245

lipids
and nitrogen content in sun and shade leaves from four Mediterranean evergreen sclerophylls; Seasonal changes of carbohydrates 129

lucerne
and barrel medic; Effects of SO_2 and NO_2 on growth and nitrogen concentrations in 319

lupin roots
exposed to lead, copper and nitrite ions; Increased accumulation of the 16 x 10^3 M_r polypeptide in 63

lupin [*Lupinus albus* (L.) cv Ultra] plants
Root zone temperature sensitivity of nitrogen fixing and nitrate-supplied soybean [*Glycine max* (L.) Merr. cv. Maple Arrow] and 117

mannitol
in individual lobes of the lichen *Parmelia conspersa* (EHR. EX ACH.) ACH.; The levels of ribitol, arabitol and 245

maple, red
seedlings; Ozone-exposure responses of black cherry and 355

mass production, Increased
of *Veronica arvensis* grown on a slowly rotating clinostat 303

Mediterranean evergreen sclerophylls
Seasonal changes of carbohydrates, lipids and nitrogen content in sun and shade leaves from four 129

meristems, Root apical
of arbuscular mycorrhizae of *Allium porrum* L. 181

Metabolic activity
of cotton roots in response to temperature 201

metal content
and photosynthetic function of *Alyssum montanum* L. plants; Copper-induced changes on growth, 165

methoxy-7-nitro-2-naphtho (2,1-6) furan (R7000)
Clastogenic effects of, on *Nigella damascena* L. 451

Methyl jasmonate
reduces chilling injury in *Cucurbita pepo* t hrough its regulation of abscisic acid and polyamine levels 427

methyl methanesulfonate
Synergisms detected among, ethyl methanesulfonate and X-rays in inducing somatic mutations inthe stamen hairs of *Tradescantia* clone BNL 4430 393

mitotic activity
Resumption of, in *Allium cepa* L. root tips during treatment with lead salts 173

M_r polypeptide, 16 x 10^3
Increased accumulation of, in lupin roots exposed to lead, copper and nitrite ions 63

mutants, bloomless and sparse-bloom
of *Sorghum bicolor* L.; Epicuticular wax load and water-use efficiency in 293

mutations, somatic
in the stamen hairs of Tradescantia cone BNL 4430; Synergisms detected among methyl methanesulfonate, ethyl methanesulfonate and X-rays in inducing 393

mycorrhizae, arbuscular
of *Allium porrum* L.; Root apical meristems of 181

Nigella damascena L.
Clastogenic effects of methoxy-7-nitro-2-naphtho (2,1-6) furan (R7000) on 451

nitrate, ammonium and
Importance of, to the performance of herb-layer species from deciduous forests in southern Sweden 31

Nitrate uptake
in common buckwheat (*Fagopyrum esculentum* Moench): kinetics 207

nitrite ions; copper, lead and
Increased accumulation of the 16 x 10^3 M_r polypeptide in lupin roots exposed to 63

nitrogen concentrations
in lucerne and barrel medic; Effects of SO_2 and NO_2 on growth and 319

nitrogen content
in sun and shade leaves from four Mediterranean evergreen sclerophylls; Seasonal changes of carbohydrates, lipids and 129

nitrogen-fixing
and nitrate-supplied soybean [*Glycine max* (L.) Merr cv. Maple Arrow] and lysine [*Lupinus albus* (L.) cv. Ultra] plants: Root zone temperature sensitivity of 117

NO_2; SO_2 and
Effects of, on growth and nitrogen concentrations in lucerne and barrel medic 319

O_3
and SO_2 ; Single and interactive effects of, on tomato 461

orchard, apple
Diurnal CO_2 fluctuations in an 385

oxygen concentration
The effect of, on chloroplast development, chlorophyll synthesis, and starch accumuulation in etiolated bean seedlings upon illumination 153

ozone
Response of beans and hairy fleabane leaves to, and paraquat with and without the antizonont, ethlenediurea 379

Water status, photosynthetic pigments, C/N ratios and respiration rates of Sitka spruce seedlings exposed to 70 ppbv, for a summer 443

Ozone-exposure
responses of black cherry and red maple seedlings 355

paraquat
Response of beans and hairy fleabane leaves to ozone and, with and without the antiozonant, ethylenediurea 379

Parmelia conspersa (EHR. EX ACH.) ACH.
The levels of ribitol, arabitol and mannitol in individual lobes of the lichen 245

pea and wheat
Patterns of C_2H_4 production during germinationand seedling growth of, as indicated by a laser-driven photoacoustic system 55

performance
of herb-layer species from deciduous forests in southern Sweden; Importance of ammonium and nitrate to 31

peroxidase
secreted from grapevine cells; Aluminum-mediated fosetyl-Al effects on 329

photoacoustic system, laser-driven
Patterns of C_2H_4 production during germination and seedling growth of pea and wheat as indicated by a 55

photochemical
and reproductive performance of the arid-environment ephemeral *Dimorphotheca pluvialis*: Ultraviolet-B irradiation of seeds affects 371

photosyntheis, Net
as a function of carbon dioxide concentration in pine trees grown at ambient and elevated CO_2 337

photosynthetic CO_2 uptake
in individual attached cotton leaves; Atmospheric CO_2 enrichment; kinetics of chlorophyll a fluorescence and 75

photosynthetic function
of *Alyssum montanum* L. plants; Copper-induced changes on growth, metal content and 165

photosynthetic pigments
, C/N ratios and respiration rates of Sitka spruce seedlings exposed to 70 ppbv ozone for a summer; Water status, 443

photosynthetic rates, responses of
to genotypic differences in sink-to-source ratios in upland cotton (*Gossypium hirsutum* L.) 253

pigments, photosynthetic
, C/N ratios and respiration rates of Sitka spruce seedlings exposed to 70 ppbv ozone for a summer; Water status 443

Pine trees
grown at ambient and elevated CO_2; Net photosynthesis as a function of carbon dioxide concentration in 337

plagiogravitropic
primary corn roots; Diagravitropic response in 87

polyamine
levels; Methyl jasmonate reduces chilling injury in *Cucurbita pepo* through its regulation of abscisic acid and 427

Primary
and lateral root elongation of sunflower seedlings 409

primary corn roots
Diagravitropic response in plagiogravitropic 87

production, Increased mass
of *Veronica arvensis* grown on a slowly rotating clinostat 303

protophloem development
Temporal aspects of, in roots of *Triticum aestivum* L. 95

radiation, temporal changes in
The impact of canopy growth and, on the dynamics of canopy carbon assimilation for kiwifruit (*Actinidia deliciosa*) vines during spring 141

radiation, UV-B
Intraspecific responses of 188 rice cultivars to enhanced 433

red maple seedlings
Ozone-exposure responses of black cherry and 355

regulation
in the cyanobacterium *Synechocystis equatilis*; Transport and toxicity of cadmium: its 225

of abscisic acid and polyamine levels; Methyl jasmonate reduces chilling injury in *Cucurbita pepo* through its 427

reproductive performance
of the arid-environment ephemeral *Dimorphotheca pluvialis*: ultraviolet-B irradiation of seeds affects photochemical and 371

resistance, Cd^{2+}
in wild-type and mutant strains of *Chlamydomonas reinhardtii* 235

Respiration
of apple trees between leaf fall and leaf emergence 25

respiration rates
of Sitka spruce seedlings exposed to 70 ppbv ozone for a summer; Water status, photosynthetic pigments, C/N ratios and 443

Response
of beans and hairy fleabane leaves to ozone and paraquat with and without the antiozonant, ethylenediurea 379

response, diagravitropic
in plagiogravitropic primary corn roots 87

Responses
of photosynthetic rates to genotypic differences in sink-to-source ratios in upland cotton (*Gossypium hirsutum* L.) 253

responses, Intraspecific
of 188 rice cultivars to enhanced UVB radiation 433

responses, ozone-exposure
of black cherry and red maple seedlings 355

responses to cold
of Chilean wild *Solanum* species 47

response to temperature stress, plant
is characterized by an asymmetric sigmoid function 69

ribitol
, arabitol and mannitol in individual lobes of the lichen *Parmelia conspersa* (EHRH. EX ACH.) ACH.; The levels of 245

rice cultivars
Intraspecific responses of 188, to enhanced UVB radiation 433

Root apical meristems
of arbuscular mycorrhizae of *Allium porrum* L. 181

root elongation
of sunflower seedlings; Primary and lateral 409

roots
of *Triticum aestivum* L.; Temporal aspects of protophloem development in 95

roots, corn, primary
Diagravitropic response in plagiogravitropic 87

roots, cottom
Metabolis activity of , in response to temperature 201

roots, lupin
exposed to lead, copper and nitrite ions; Increased accumulation of the 16×10^3 M_r polypeptide in 63

root tips, *Allium cepa* L.
Resumption of mitotic activity in, during treatment with lead salts 173

root zone
temperature sensitivity of nitrogen fixing and nitrate-supplied soybean [*Glycine max* (L.) Merr. cv. Maple Arrow] and lysine [*Lupinus albus* (L.) cv. Ultra) plants 117

rust infection, white
and leaf clorosis in relation to crop strategies in spinach 363

saguaro cacti (*Carnegia gigantea*)
Epidermal browning of,: physiological effects, rates of browning and relation to sun/shade conditions 107

salts, lead
Resumption of mitotic activity in *Allium cepa* L. root tips during treatment with 173

sclerophylls, Mediterranean evergreen
Seasonal changes of carbohydrates, lipids and nitrogen content in sun and shade leaves from four Mediterranean sclerophylls 129

seasonal changes
of carbohydrates, lipid and nitrogen content in sun and shade leaves from four Mediterranean evergreen sclerophylls 129

seed germination
of the fire-climax grass *Themeda triandra*; Plant-derived smoke and smoke extracts stimulate 217

seedlings, bean, etiolated
The effect of oxygen concentration on chloroplast development, chlorophyll synthesis and starch accumulation in, upon illumination 153

seedlings, Sitka spruce
Water status, photosynthetic pigments, C/N ratios and respiration rates of, exposed to 70 ppbv ozone for a summer 443

, sunflower
Primary and lateral root elongation of 409

seeds
Ultraviolet-B irradiation of, affects photochemical and reproductive performance of the arid-environment ephemeral *Dimorphotheca pluvialis* 371

senescence, retardation of
by UV-A light in barley (*Hordeum vulgare* L.) leaf segments 1

sink-to-source ratios
in upland cotton (*Gossypium hirsutum* L.); Responses of photosynthetic rates to genotypic differences in , 253

Sitka pruce seedlings
exposed to 70 ppbv ozone for a summer; Water status, photosynthetic pigments, C/N ratios and respiratory rates of 443

smoke extracts
stimulate seed germination of the fire-climax grass *Themeda triandra* ; Plant-derived smoke and 217

smoke, Plant-derived
and smoke extracts stimulate seed germination of the fire-climax grass *Themeda triandra* 217

SO_2
and O_3; Single and interactive effects of, on tomato 461

SO_2 and NO_2
Effects of, on growth and nitrogen concentrations in lucerne and barrel medic 319

Solanum species, Chilean wild
Responses to cold of 47

somatic mutations
in the stamen hairs of *Tradescantia* clone BNL 4430; Synergisms detected among methyl methanesulfonate, ethyl methanesulfonate and X-rays in inducing 393

Sonoran Desert, Mexico
Surficial injuries of several long-lived columnar cacti of the 19

soralia
of the lichen *Hypogymnia physodes* (L.) Nyl. in a simple wind tunnel; Dispersal of soredia from individual 89

soredia, dispersal of
from individual soralia of the lichen *Hypoymnia physodes* (L.) Nyl. in a simple wind tunnel 39

Sorghum bicolor L.
Epicuticular wax load and water-use efficiency in bloomless and sparse-bloom mutants of 293

South America, cacti of
Surficial injuries of several 285

soybean
and frogeye leaf spot; Effects of intermittent acidic irrigations on 311

soybean [*Glycine max* (L.) Merr. cv. Maple Arrow]
and lupin [*Lupinus albus* (L.) cv. Ultra] plants; Root zone temperature sensitivity of nitrogen fixing and nitrate-supplied 117

spruce seedlings, Sitka
exposed to 70 ppbv ozone for a summer; Water status, photosynthetic pigments, C/N ratios and respiration rates of 443

stamen hairs
of *Tradescantia* clone BNL 4430; Synergisms detected among methyl methanesulfonate, ethyl methanesulfonate and X-rays in inducing somatic mutations in the 393

starch accumulation
The effect of oxygen concentration on chloroplast development, chlorophyll synthesis and, in etiolated bean seedlings upon illumination 153

stress, temperature
Plant response to, is characterized by an asymmetric sigmoid function 69

sun and shade leaves
from four Mediterranean evergreen sclerophylls; Seasonal changes of carbohydrates, lipids and nitrogen content in 129

sun/shade conditions
Epidermal browning of saguaro cacti (*Carnegia gigantea*): physiological effects, rates of browning and relation to 107

Surficial injuries
of several cacti of South America 285

surficial injuries
of several long-lived columnar cacti of the Sonoran Desert, Mexico 19

sunflower seedlings
Primary and lateral root elongation of 409

Sweden, southern
Importance of ammonium and nitrate to the performance of herb-layer species from deciduous forests in 31

Synechocystis aquatilis
Transport and toxicity of cadmium: its regulation in the cyanobacterium 225

Synergisms
detected among methyl methanesulfonate, ethyl methanesulfonate and X-rays in inducing somatic mutations in *Tradescantia* clone BNL 4430 393

temperature
Interactive effects of CO_2 enrichment and , on the growth of dioecious *Hydrilla verticillata* 345

Metabolic activity of cotton roots in response to 201

temperature sensitivity, Root zone
of nitrogen fixing and nitrate-supplied soybean [*Glycine max* (L.) Merr. cv. Maple Arrow] and lysine [*Lupinus albus* (L.) cv Ultra plants 117

temperature stress
Plant response to, is characterized by an asymmetric sigmoid function 69

Themeda triandra
Plant-derived smoke and smoke extracts stimulate seed germination of the fire-climax grass 217

Tolerance
to high temperature in cotton (*Gossypium hirsutum* L.) at initial growth stages 275

tomato
Single and interactive effects of O_3 and SO_2 on 461

toxicity
of cadmium: its regulation in the cyanobacterium *Synechocystis aquatilis*; Transport and 225

Tradescantia
clone BNL 4430; Synergisms detected among methyl methanesulfonate, ethyl methanesulfonate and X-rays in inducing mutations in the stamen hairs of 393

Transport
and toxicity of cadmium : its regulation in the cyanobacterium *Synechocystis aquatilis* 225

trees, apple
Respiration of, between leaf fall and leaf emergence

Triglochin bulbosa and *T. striata*
Growth, water and ion relationships in the coastal halophytes 419

Triticum aestivum L.
roots of; Temporal aspects of protophloem development in

Ultraviolet-B irradiation
of seeds affects photochemical and reproductive performance of the arid-environment ephemeral *Dimorphotheca pluvialis* 371

uptake, photosynthetic CO_2
in individual attached cotton leaves; Atmospheric CO_2 enrichment: kinetics of chlorophyll a fluorescence and 75

UV-A light
Retardation of senescence by, in barley (*Hordeum vulgare* L.) leaf segments 1

UV-B radiation
Intraspecific responses of 188 rice cultivars to enhanced 433

vernalizing winter wheat
5-Azacytidine and gamma rays partially substitute for cold treatment in 195

Veronica arvensis
Increased mass production of, grown on a slowly rotating clinostat 303

water and ion relationships
Growth, in the coastal halophytes *Triglochin bulbosa* and *T. striata* 419

Water status
, photosynthetic pigments, C/N ratios and respiration rates of Sitka spruce seedlings exposed to 70 ppbv ozone for a summer 443

Water-use efficiency
in bloomless and sparse-bloom mutants of *Sorghum bicolor* L. ; Epicuticular wax load and 293

wax load, Epicuticular
and water-use efficiency in bloomless and sparse-bloom mutants of *Sorghum bicolor* L. 293

wheat, Cs-134 levels in
related to time elapsed between contamination and sprinkling 213

wheat, pea and
Patterns of C_2H_4 production during germination and seedling growth of, as indicated by an laser-driven photoacoustic system 55

wheat, vernalizing winter
5-Azacytidine and gamma rays partially substitute for cold treatment in 195

White ruse infection
and leaf chlorosis in relation to crop strategies in spinach 363

wild-type and mutant strains
of *Chlamydomonas reinhardtii;* Cd^{2+} resistance in 235

wind tunnel
Dispersal of soredia from individual soralia of the lichen *Hypogymnia physodes* (L.) Nyl. in a simple 39

winter wheat, vernalizing
5-Azacytidine and gamma rays partially substitute for cold treatment in 195

X-rays
Synergisms detected among methyl methylsulfonate, ethyl methanesulfonate and, in inducing somatic mutations in the stamen hairs of *Tradescantia* clone BNL 4430 393

PRINTED IN GREAT BRITAIN AT BPC-AUP ABERDEEN LTD.